

7. REFERÊNCIAS

1. ACSM. **Diretrizes do ACSM para os testes de esforço e sua prescrição.** 6^a ed. Ed. Guanabara Koogan: Rio de Janeiro, 2003.
2. American Physiological Society. **Resource book for the design of animal exercise protocols (2006).** Disponível em: <<http://www.the-aps.org/pa/action/exercise/book.pdf>>[Acessado em maio 2006].
3. Andrianopoulos G, Nelson RI, Bombeck CL, Souza G. The influence of physical activity in 1,2 dimethylhydrazine induced colon carcinogenesis in the rat. **Anticancer res**, 7: 849-52, 1987.
4. Araújo CGS. **Exercício físico no tratamento do paciente diabético.** In: Diabetes Melito Tipo 2: terapêutica clínica prática. Ed. Medline: Rio de Janeiro, 2003.
5. Banz WJ, Maher MA, Thompson WG, Bassett DR, Moore W, Ashraf M *et al.* Effects of resistance versus aerobic training on coronary artery disease risk factors. **Exp Biol Med**, 228:434-40, 2003
6. Batty D, Thune I. Does physical activity prevent cancer? **BMJ**, 321:1424-5, 2000.
7. Bayerdorffer E, Mannes GA, Richter WO, Ochsenkuhn T, Seeholzer G, Kopcke W *et al.* Decreased high-density lipoprotein cholesterol and increased low-density cholesterol levels in patients with colorectal adenomas. **Ann Intern Med**, 118: 481-7, 1993.
8. Bird RP, Good CK. The significance of aberrant crypt foci in understanding the pathogenesis of colon cancer. **Toxicol Lett**, 15: 395-402, 2000.
9. Bird RP. Observation and quantification of aberrant crypts in the murine colon treated with a colon carcinogen: preliminary findings. **Cancer Lett**, 37: 147-51 1987.
10. Bird RP. Role of aberrant crypt foci in understanding the pathogenesis of colon cancer. **Cancer Lett**, 93: 55-71, 1995.
11. Bodmer WF, Wilding J, Fearnhead NS. Molecular genetics of colorectal cancer. **Acta Oncologica Brasileira**, 24, 2004.
12. Burneiko RC, Diniz YS, Galhardi CM, Rodrigues HG, Ebaid GM, Faine LA *et al.* Interaction of hypercaloric diet and physical exercise on lipid profile, oxidative stress and antioxidant defenses. **Food Chem Toxicol, March**, 2006 (abstract).
13. Chen T, Wu F, Chen FM, Tian J, Qu S. Variations of very low-density lipoprotein receptor subtype expression in gastrointestinal adenocarcinoma cells with various differentiations. **World J Gastroenterol**, 11:2817-21, 2005.

14. Cheng L, Lai MD. Aberrant crypt foci as microscopic precursors of colorectal cancer. **World J Gastroenterol**, 9: 2642-9, 2003.
15. Christopherson J, Sumer V, Kirkendall D, Jones MA. Effects of exercise detraining on lipid storage in rats. **Transactions of the Illinois State Academy of Science**, 92: 203-9, 1999.
16. Colbert LH, Davis JM, Essig DA, Ghaffar A, Mayer EP. Exercise and tumor development in a mouse predisposed to multiple intestinal adenomas. **Med Sci Sports Exerc**, 32: 1704-8, 2000.
17. Colbert LH, Mam V, Perkins SN, Berrigan D, Lavigne JA, Wimbrow HH *et al*. Exercise and intestinal polyp development in APC^{min} Mice. **Med Sci Sports Exerc**, 35: 1662-9, 2003.
18. Colditz GA, Cannuscio CC, Frazier L. Physical activity and reduced risk of colon cancer: implications for prevention. **Cancer Causes Control**. 8: 649-67, 1997.
19. COBEA – Colégio Brasileiro de Experimentação Animal. Princípios éticos na experimentação animal (1991). Disponível em: [<http://www.cobea.org.br/ética>].
20. Corpet DE, Pierre F. Point: From animal models to prevention of colon cancer. systematic review of chemoprevention in Min Mice and choice of the model system. **Cancer Epidemiol Biomarkers Prev**, 12: 391-400, 2003.
21. Cotran RS, Kumar V, Robbins SL. **Patologia estrutural e funcional**. 5^aedição. Ed Guanabara Koogan: Rio de Janeiro, 1996.
22. Cotti GCC, Santos FPS, Sebastianes FM, Habr-Gama A, Seid VE, Martino RB. Genética do câncer colorretal. **Rev Med**, 79: 45-64, 2000.
23. Couillard C, Després JP, Lamarche B, Bergeron J, Gagnon J, Leon AS *et al*. Effects of endurance exercise training on plasma HDL cholesterol levels depend on levels of triglycerides: evidence from men of the health, risk factors, exercise training and genetics (HERITAGE) family study. **Arterioscler Thromb Vasc Biol**, 21: 1226-32, 2001.
24. Cunha TS, Tanno AP, Moura MJCS, Marcondes FK. Relação entre a administração de esteróide anabólico androgênico, treinamento físico aeróbio e supercompensação do glicogênio, **Rev Bras Med Esporte**, 11: 187-92, 2005.
25. Demarzo MMP, Garcia SB. Exhaustive physical exercise increases the number of colonic preneoplastic lesions in untrained rats treated with a chemical carcinogen. **Cancer Lett**, 216: 31-4, 2004.

26. Eichholzer M, Stähelin HB, Gutzwiller F, Lüdin E, Bernasconi F. Association of low plasma cholesterol with mortality for cancer at various sites in men: 17-y follow-up of the prospective Basel study. **Am J Clin Nutr**, 71: 569-74, 2000.
27. Farrell PA, Caston AL, Rodd D. Changes in insulin response to glucose after exercise training in partially pancreatectomized rats. **J Appl Physiol**, 70: 1563-8, 1991 (*abstract*).
28. Fletcher B, Berra K, Braun LT, Durstine JL, Fletcher GF, Miller NH, Stone N. Managing abnormal blood lipids: a collaborative approach. **Circulation**, 112: 3184-209, 2005.
29. Francischi RP, Pereira LO, Lancha Junior AH. Exercício, comportamento alimentar e obesidade: revisão dos efeitos sobre a composição corporal e parâmetros metabólicos. **Rev Paul Educ Fís**, 15:117-40, 2001.
30. Friedenreich CM, Orenstein MR. Physical activity and cancer prevention: etiologic evidence and biological mechanisms. **J Nutr**, 132: 3456S-64S, 2002.
31. Friedenreich CM. Physical activity and cancer prevention: from observational to intervention research. **Cancer Epidemiol Biomarkers Prev**, 10: 287-301, 2001.
32. Furberg AS, Veierød MB, Wilsgaard T, Bernstein L, Thune I. Serum high-density lipoprotein cholesterol, metabolic profile, and breast cancer risk. **J Natl Cancer Inst**, 96: 1152-60, 2004.
33. Fyrnys B, Claus R, Wolf G, Deigner HP. Oxidized low density lipoprotein stimulates protein kinase C (PKC) activity and expression of PKC-isotypes via prostaglandin-H-synthase in P388D1 cells. **Adv Exp Med Biol**, 407:93-8, 1997 (*abstract*).
34. Gibbs BWW. Roots of cancer: What causes cancer? **Scientific American**, 289: 56-65, 2003.
35. Grady, WM. Genomic instability and colon cancer. **Cancer Metastasis Rev**, 23: 11-27, 2004.
36. Gunter MJ, Stolzenberg-Solomon R, Cross AJ, Leitzmann MF, Weinstein S, Wood RJ *et al.* A Prospective study of serum C-reactive protein and colorectal cancer risk in men. **Cancer Res**, 66: 2483-7, 2006 (*abstract*).
37. Guyton AC, Hall JE. **Tratado de fisiologia médica**. 9^a edição. Ed. Guanabara Koogan: Rio de Janeiro, 1997.
38. Hauret KG, Bostick RM, Matthews CE, Hussey JR, Fina MF, Geisinger KR, Roufail WM. Physical activity and reduced risk of incident sporadic colorectal adenomas: observational

support for mechanisms involving energy balance and inflammation modulation. **Am J Epidemiol**, 159: 983-92, 2004.

39. Hernandez JM, Fedele MJ, Farrell PA. Time course evaluation of protein synthesis and glucose uptake after acute resistance exercise in rats. **J Appl Physiol**, 88: 1142-9, 2000.
40. Hoffman-Goetz L. Exercise, natural immunity, and tumor metastasis. **Med Sci Sports Exerc**, 26: 157-63, 1994.
41. Hoffman-Goetz L. Physical activity and cancer prevention: animal-tumor models. **Med Sci Sports Exerc**, 35: 1828-33, 2003.
42. Hou L, Ji B, Blair A, Dai Q, Gao YT, Chow W. Commuting physical activity and risk of colon cancer in shanghai, China. **Am J Epidemiol**, 160: 160: 860-7, 2004.
43. Hu D, Hannah J, Gray RS, Jablonski KA, Henderson JA, Robbins DC *et al*. Effects of obesity and body fat distribution on lipids and lipoproteins in nondiabetic American Indians: The Strong Heart Study. **Obes Res**, 8: 411-21, 2000.
44. INCA - Instituto Nacional de Câncer. **Estimativa 2006: Incidência de câncer no Brasil**. Disponível em: <<http://www.inca.gov.br>> [Acessado em 01 dezembro de 2005].
45. Inui A. Cancer Anorexia-Cachexia Syndrome: current issues in research and management. **CA Cancer J Clin**, 52: 72-91, 2002.
46. Iribarren C, Reed DM, Chen R, Yano K, Dwyer JH. Low serum cholesterol and mortality which is the cause and which is the effect? **Circulation**, 92: 2396-403, 1995.
47. Jacobs D, Blackburn H, Higgins M, Reed D, Iso H, McMillan G *et al*. Report of the conference on low blood cholesterol: mortality associations. **Circulation**, 86: 1046-60, 1992.
48. Jakicic JM, Marcus BH, Gallagher KI, Napolitano M, Lang W. Effect of exercise duration and intensity on weight loss in overweight, sedentary women: A randomized trial. **JAMA**, 290:1323-30, 2003.
49. Jia XD, Han C. Chemoprevention of tea on colorectal cancer induced by dimethylhydrazine in Wistar rats. **World J Gastroenterol**, 6: 699-703, 2000.
50. Johnson LR. **Gastrointestinal physiology**. 6^a edição. Ed Mosby-Year Book, 2001.
51. Junqueira LC, Carneiro J. **Histologia Básica**. 8^a edição. Ed Guanabara Koogan: Rio de Janeiro, 1995.
52. Kops GJPL, Weaver BAA, Cleveland DW. On the road to cancer: aneuploidy and the mitotic checkpoint. **Nat Rev Cancer**, 5: 773-85, 2005.

53. Kowalski LP, Nishimoto IN. **Epidemiologia do Câncer**. In: Ikemori EHA *et al.* Nutrição em Oncologia. Ed Marina e Tecmedd: São Paulo, 2003.
54. Krichevsky D. Influence of caloric restriction and exercise on tumorigenesis in rats. **Proc Soc Exp Biol Med**, 193: 35-8, 1990.
55. Lakka TA, Lakka HM, Rankinen T, Leon AS, Rao DC, Skinner JS *et al.* Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. **Eur Heart J**, 26: 2018-25, 2005 (*abstract*).
56. Louro ID. Oncogenética – parte 1. **Revista da Sociedade Brasileira de Cancerologia**, 11: 36-45, 2000.
57. Magnuson BA, South EH, Exon JH, Dashwood RH, Xu M, Hendrix K, Hubele S. Increased susceptibility of adult rats to azoxymethane-induced aberrant crypt foci. **Cancer Lett**, 161: 185-93, 2000.
58. Martinez ME, Giovannucci E, Spiegelman D, Hunter DJ, Walter CW, Colditz GA. Leisure-time physical activity, body size, and colon cancer in women. **J Natl Cancer Inst**, 89: 948-55, 1997.
59. Marugame T, Lee K, Eguchi H, Oda T, Shinchi K, Kono S. Relation of impaired glucose tolerance and diabetes mellitus to colorectal adenomas in Japan. **Cancer Causes Control**, 13: 917-21, 2002 (*abstract*).
60. Mazzeo RS. The influence of exercise and aging on immune function. **Med Sci Sports Exerc**, 26: 586-92, 1994.
61. McTiernan, A. Physical activity, exercise, and cancer: prevention to treatment - Symposium overview. **Med Sci Sports Exerc**, 1821-2. 2003.
62. Mehl KA, Davis JM, Clements JM, Berger FG, Pena MM, Carson JA. Decreased intestinal polyp multiplicity is related to exercise mode and gender in Apc Min/+ mice. **J Appl Physiol**, 98:2219-25, 2005.
63. Modan M, Halkin H, Almog S, Lusky A, Eshkol A, Shefi M *et al.* Hyperinsulinemia: A link between hypertension obesity and glucose intolerance. **J Clin Invest**, 75: 809-17, 1985.
64. Montagnini AL, Perini MV. **Alterações metabólicas do câncer**. In: Ikemori EHA *et al.* Nutrição em Oncologia. Ed Marina e Tecmedd: São Paulo, 2003.
65. Montoya RG, Wargovich MJ. Chemoprevention of gastrointestinal cancer. **Cancer Metastasis Rev**, 16: 405-19, 1997.

66. Moorman PG, Hulka BS, Hiatt RA, Krieger N, Newman B, Vogelman JH, Orentreich N. Association between High-Density Lipoprotein Cholesterol and breast cancer varies by menopausal status. **Cancer Epidemiol Biomarkers Prev**, 7: 483-8, 1998.
67. Moraes SP; Amstalden Neto A; Sanches FL; Quilici FA. Valor da dosagem do antígeno carcinoembrionário, da fosfatase alcalina e da gama-glutamil transpeptidase no seguimento de pacientes com câncer de cólon e de reto. **Rev bras Coloproct**, 23: 163-7, 2003.
68. Navarro A, Gomez C, Lopez-Cepero JM, Boveris A. Beneficial effects of moderate exercise on mice aging: survival, behavior, oxidative stress, and mitochondrial electron transfer. **Am J Physiol Regul Integr Comp Physiol**; 286: R505-R11, 2004.
69. Nemet D, Connolly PH, Pescatello AMP, Gottron CR, Larson JK, Galassetti P, Cooper DM. Negative energy balance plays a major role in the IGF-I response to exercise training. **J Appl Physiol**, 96: 276-82, 2004.
70. Oakes ND, Bell KS, Furler SM, Camilleri S, Saha AK, Ruderman NB *et al*. Diet-induced muscle insulin resistance in rats is ameliorated by acute dietary lipid withdrawal or a single bout of exercise: parallel relationship between insulin stimulation of glucose uptake and suppression of long-chain acyl-CoA. **Diabetes**, 46: 2022-8, 1997.
71. Oliveira EC, Chaves-Dias CMG. **Efeito do exercício físico moderado em modelo de carcinogênese de cólon em ratos Wistar**. Viçosa; 2003. [Monografia apresentada à Universidade Federal de Viçosa, como parte das exigências do curso de Educação Física].
72. Otani T, Iwasaki M, Sasazuki S, Inoue M, Tsugane S. Plasma C-reactive protein and risk of colorectal cancer in a nested case-control study: Japan public health center-based prospective study. **Cancer Epidemiol Biomarkers Prev**, 15: 690-5, 2006 (*abstract*).
73. Polycarpo A, Topciu FR, Neto JZA, Lopes LS, Catelani LGC, Zerwes MHT *et al*. Determinação do antígeno carcinoembrionário biliar na detecção das metástases hepáticas do carcinoma colorretal. **Acta Cirúrgica Brasileira**, 18, 4-9 (Supl. 4), 2003.
74. Powers SK, Demirel HA, Vincent HK, Coombes JS, Naito H, Hamilton KL, Shanely RA, Jessup J. Exercise training improves myocardial tolerance to in vivo ischemia-reperfusion in the rat. **Am J Physiol**, 275: 1468-77, 1998.
75. Reddy BS, Sugie S, Lowenfels A. Effect of voluntary exercise on azoxymethane-induced colon carcinogenesis in male F344 rats. **Cancer Res**, 48, 7079-7081, 1988.
76. Rodrigues MAM, Silva LAG, Salvadori DMF, Camargo JLV, Montenegro MR. Aberrant crypt foci and colon cancer: comparison between a short- and medium-term bioassay for

- colon carcinogenesis using dimethylhydrazine in Wistar rats **Braz J Med Biol Res**, 35: 351-5, 2002.
77. Rubin H. Cancer cachexia: Its correlations and causes. **PNAS**, 100: 5384–9, 2003.
78. Santos WB, Mesquita ET, Vieira RMR, Olej B, Coutinho M, Avezum A. Proteína-C-reativa e doença cardiovascular. As bases da evidência científica. **Arq Bras Cardiol**, 80: 452-6, 2003.
79. Schneider CD, Oliveira AR. Radicais livres de oxigênio e exercício: mecanismos de formação e adaptação ao treinamento físico. **Rev Bras Med Esporte**; 10: 308-13, 2004.
80. Schoen RE, Tangen CM, Kuller LH, Burke GL, Cushman M, Tracy RP *et al.* Increased blood glucose and insulin, body size, and incident colorectal cancer. **J Natl Cancer Inst**, 91: 1147-54, 1999.
81. Simon HB. Can you run away from cancer? **Harv Health Lett**, 17: 1-3, 1992.
82. Slattery ML, Curtin K, Ma K, Edwards S, Schaffer D, Anderson K, Samowitz W. Diet, activity, and lifestyle associations with p53 mutations in colon tumors. **Cancer Epidemiol Biomarkers Prev**, 11: 541-8, 2002.
83. Srivastava S, Verma M, Henson DE. Biomarkers for Early Detection of Colon Cancer. **Clin Cancer Res**, 7: 1118–26, 2001.
84. Stamatiadis AP, St Toumanidou M, Vyssoulis GP, Manouras AJ, Apostolidis NS. Value of serum acute-phase reactant proteins and carcinoembryonic antigen in the preoperative staging of colorectal cancer. A multivariate analysis. **Cancer**, 65: 2055-7, 1990 (*abstract*).
85. Suzuki K, Ito Y, Wakai K, Kawado M, Hashimoto S, Toyoshima H, *et al.* Serum oxidized low-density lipoprotein levels and risk of colorectal cancer: A Case-Control Study Nested. **Cancer Epidemiol Biomarkers Prev**, 13: 1781–7, 2004.
86. Tamaki T, Uchiyama S, Nakano S. A weight-lifting exercise model for inducing hypertrophy in the hindlimb muscles of rats. **Med Sci Sports Exerc**, 24: 881-6, 1992.
87. Terao T, Fujise T, Uchiyama S, Yamashita Y, Nakano S. Effects of swimming exercise at two different water temperature on hepatic lipid and lipoprotein levels in experimental fatty liver rats. **Tokai J Exp Clin Med**, 14: 139-45, 1989 (*abstract*)
88. The Cancer Council Australia. Preventable risk factors: Physical activity. National cancer prevention policy 2004-06. **Journal of the HEIA**, 11: 50-63, 2004.

89. Thorling EB, Jacobsen NO, Overvad K. Effect of exercise on intestinal tumor development in the male Fischer rat after exposure to azoxymethane. **Eur J Cancer Prev**, 2: 31-41, 1994 (*abstract*).
90. Tomás E, Zorzano A, Ruderman NB. Exercise effects on muscle insulin signaling and action: exercise and insulin signaling: a historical perspective. **J Appl Physiol**, 93: 765-72, 2002.
91. Tomlinson I, Ilyas M, Novelli M. Molecular genetics of colon cancer. **Cancer Metastasis Rev**, 16: 67-79, 1997.
92. Topping DL, Mayes PA. The immediate effects of insulin and fructose on the metabolism of the perfused liver. Changes in lipoprotein secretion, fatty acid oxidation and esterification, lipogenesis and carbohydrate metabolism. **Biochem J**, 126: 295-311, 1972.
93. Thorup. I. Histomorphological and immunohistochemical characterization of colonic aberrant crypt foci in rats: relationship to growth factor expression. **Carcinogenesis**, 18: 465-72, 1997.
94. Tsushima M, Nomura AMY, Lee J, Stemmermann GN. Prospective study of the association of serum triglyceride and glucose with colorectal cancer. **Dig Dis Sci**, 50: 499-505, 2005 (*abstract*).
95. Voltarelli FA, Gobato CA, Mello MAR. Determination of anaerobic threshold in rats using the lactate minimum test. **Brazilian Journal of Medical and Biological Research**, 35: 1389-94, 2002.
96. Westerlind KC. Physical Activity and Cancer Prevention-Mechanisms. **Med Sci. Sports Exerc**, 35: 1834-40, 2003.
97. Wilcox AR. Effects of caffeine and exercise on body fat levels of the rat. **Int J Sports Med**, 6: 322-4, 1985 (*abstract*)
98. Woodhouse S. C-reactive protein: From acute phase reactant to cardiovascular disease risk factor - Cover Story (2002). Disponível em : <http://www.findarticles.com/p/articles/mi_m3230/is_3_34/ai_84560055/> [Acessado em maio de 2006].
99. Woods JA, Davis JM. Exercise, monocyte/macrophage function, and cancer. **Med Sci Sports Exerc**, 26: 147-57, 1994.

100. Yamada K, Araki S, Tamura M, Sakai I, Takahashi Y, Kashihara H, Kono S. Relation of serum total cholesterol, serum triglycerides and fasting plasma glucose to colorectal carcinoma in situ. **Int J Epidemiol**, 27: 794-8, 1998.
101. Yu HH, Ginsburg GS, O'Toole ML, Otvos JD, Douglas PS, Rifai N. Acute changes in serum lipids and lipoprotein subclasses in triathletes assessed by proton nuclear magnetic resonance spectroscopy. **Arterioscler Thromb Vasc Biol**, 19: 1945-9, 1999.
102. Yuan P, Sun MH, Zhang JS, Zhu XZ, Shi DR. APC and K-ras gene mutation in aberrant crypt foci of human colon. **World J Gastroenterol**, 7: 352-6, 2001.
103. Zamboni M, Armellini F, Cominacini L, Turcato E, Todesco T, Bissoli L, *et al*. Obesity and regional body-fat distribution in men: separate and joint relationships to glucose tolerance and plasma lipoproteins. **Am J Clin Nutr**, 60: 682-7, 1994.
104. Zhang M, Buring JE, Lee IM, Cook NR, Ridker PM. C-Reactive Protein levels are not associated with increased risk for colorectal cancer in women. **Ann Intern Med**, 142: 425-32, 2005.